



Download and Installation

1. Go to <https://www.zaproxy.org/download/>
2. Click on “Download” next to the macOS installer that matches the hardware type of your machine.




3. Double click on the downloaded file (ZAP_2_15_0_***.dmg) in the “Downloads” menu.



4. Drag the ZAP icon onto the Applications folder as normal to install.
5. Open Finder and select the Applications section.
6. Hold Control and click on the ZAP icon, then click “Open”


7. When the warning below is displayed, click on “Open” to run the program even though it is not signed by Apple.




8. Allow ZAP to load all modules



9. Select “No” when asked if you want to persist the ZAP Session since these activities are just for practice. If you’d like to save the log of all request and responses made, you may certainly do that. Then click “Start”.



10. When prompted for updates, click “Update All” and wait while the downloads proceed. Expect to wait around 3 minutes for this step depending on your download speed.





11. When all recommended components have updated, click “Close.”

12. It is difficult to use Safari with an intercepting proxy because Apple has chosen not to support per instance proxies. Instead, it is recommended to use Firefox or Chrome with ZAP.

13. Test the pre-configured browser by clicking the “Firefox” icon on the right side of the toolbar. Most of the time ZAP will be able to locate the installed browser.



14. If a browser launches, proceed to the next step. If an error like “The provided browser was not found.” is shown, try an alternate browser by clicking on “Manual Explore”, then selecting either Chrome or Firefox from the pulldown menu and click “Launch Browser”.



15. Enter `www.example.com` in the URL bar of the browser window that starts.
16. Bring ZAP to the foreground. You should see many requests on the "History" tab in the bottom section of ZAP. If so, you have successfully

installed and configured ZAP.

The screenshot shows the ZAP 2.15.0 interface. The main window displays a "Welcome to ZAP" message, supported by CRASH OVERSIDE. Below the message, there are four icons representing different scanning options: Automated Scan, Manual Scan, Quick Scan, and Learn More. A notification banner at the bottom of the main window states "ZAP 2.15.0 is available now" with a "Learn More" link.

The bottom panel shows a request log with the following data:

ID	Source	Req. Timestamp	Method	URL	Code	Reason	RTT	Size Resp. Body	Highest Alert	Note	Tags
1	Proxy	7/10/24, 10:41:21 AM	POST	https://accounts.google.com/ListAccounts?gpsia=1	200	OK	261 ms	17 bytes			JSON
3	Proxy	7/10/24, 10:41:27 AM	GET	https://www.example.com/	200	OK	47 ms	1,256 bytes	Medium		

Alerts: 0 2 3 2 | Main Proxy: localhost:8080 | Current Scans: 0 0 0 0 0 0 0 0 0 0